

Applicant:	Shih Yi WONG	§	Confirmation No.:	2531
		§		
Serial No.:	10/519,576	§	Examiner:	K. A. Menon
		§		
Filed:	December 28, 2004	§	Art Unit:	1797
		§		
For:	Pressurisation System	§	Atty. Docket No.:	2085-03600
		§		
		§		

**RESPONSE TO FINAL OFFICE ACTION DATED AUGUST 1, 2007**

Mail Stop Amendment  
 Commissioner for Patents  
 PO Box 1450  
 Alexandria, VA 22313-1450

Date: March 26, 2008

**AMENDMENT**

Sir:

Applicants hereby submit this amendment in response to the Notice of Non-Compliant Amendment dated March 12, 2008, for the above-identified application. Applicant respectfully notes a final Office Action issued by the United States Patent and Trademark Office (USPTO) on 1 August 2007. Examiner Krishnan A. Menon is thanked for the thorough examination and search of the subject application. Applicant notes the deadline for filing a response to the Office Action is 1 November 2007. In response to the Office Action of August 1, 2007, please amend the above-identified application as follows along with the filing of a Request for Continued Examination (RCE).

**Amendments to the Specification** begins on page 2 of this paper.

**Amendments to the Claims** are reflected in the listing of claims which begins on page 5 of this paper.

**Remarks/Arguments** begin on page 11 of this paper.